

	Type	Hits	Search Text	DBs
1	IS&R	8	(("4812814") or ("5490048") or ("5746497") or ("5765940") or ("6076950") or ("6149288") or ("6168725") or ("6179644")).PN.	USPAT
2	BRS	8	insulator with reflector with (conductor with lamp)	USPAT; EP ; JP ; DERWENT; IBM_TDB
3	BRS	569	reflector with insulator	USPAT; EP ; JP ; DERWENT; IBM_TDB
4	BRS	60	reflector with (insulator with conductor)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	16	(reflector with (insulator with conductor)) and lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	21651	control adj module	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	2242818	lamp or light or bulb	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	(control adj module) and (lamp or light or bulb) and (reflector with mount\$4 with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	41	(lamp or light or bulb) and (reflector with mount\$4 with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	69	reflector with mount\$4 with insulator	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	21	( (lamp or light or bulb) and (reflector with mount\$4 with insulator)) and control	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	79617	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	22	((vehicle or automobile) with (lamp or headlamp or light)) and (reflector with insulator)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	3674	((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	4	(reflector with insulator) and (((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	186	362/545.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1692	362/540.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1670	362/540.ccls. not 362/545.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	3	362/540.ccls. and (reflect\$4 and (control adj module))	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	261	362/464.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	920	362/800.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	236	362/800.ccls. and reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	145	362/800.ccls. and reflector and ((module or control) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	285	362/544.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	37	362/544.ccls. and reflector and ((module or control) or module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	26	362/507.ccls. and reflector and ((module or control) or module)	USPAT; EP ; JPO; DERWENT; IBM_TDB
27	BRS	21	362/542.ccls. and reflector and ((module or control) or module)	USPAT; EP ; JP ; DERWENT; IBM_TDB
28	IS&R	6	(("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995")).PN.	USPAT

	Type	Hits	Search Text	DBs
29	IS&R	7	("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995") or ("6367949").PN.	USPAT
30	IS&R	8	("5797672") or ("5388035") or ("5567036") or ("5700080") or ("5580156") or ("5673995") or ("6367949") or ("5490049").PN.	USPAT
31	BRS	859	((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))) and 340/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	83	((vehicle or automobile) with (lamp or headlamp or light)) and (module or (control adj module))) and 340/\$.ccls.) and reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	82	362/468.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	30	362/469.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	164	362/470.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	47	362/471.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	33	362/472.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	372	362/473.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	583	362/478.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	0	362/928.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	294	340/928.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	80704	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	616	340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	74	340/457.2.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	94	340/469.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	80764	(vehicle or automobile) with (lamp or headlamp or light)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	616	340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	248	((vehicle or automobile) with (lamp or headlamp or light) ) and 340/425.5.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	233	340/457.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	1386	(insulator or circuit near4 board) with reflector	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	4561319	control or (control adj module) or module	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	380129	headlamp or lamp	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	2078752	headlight or light	USPAT; EP ; JPO; DERWENT; IBM_TDB
54	BRS	4561319	control or (control adj module) or module	USPAT; EP ; JPO; DERWENT; IBM_TDB
55	BRS	1386	(insulator or circuit near4 board) with reflector	USPAT; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
56	BRS	380129	headlamp or lamp	USPAT; EP ; JP ; DERWENT; IBM_TDB
57	BRS	1386	(Insulator or circuit near4 board) with reflector	USPAT; EPO; JP ; DERWENT; IBM_TDB
58	BRS	380129	headlamp or lamp	USPAT; EP ; JP ; DERWENT; IBM_TDB
59	BRS	12368	headlight	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	386184	(headlamp or lamp ) or headlight	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	4561319	control or (control adj module) or module	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	313	((Insulator or circuit near4 board) with reflector ) and ((headlamp or lamp ) or headlight) and (control or (control adj module) or module )	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	IS&R	1	("6069581").PN.	USPAT
64	BRS	24	("2751587"   "2841782"   "3683379"   "3794997"   "3878506"   "3934252"   "4125835"   "4673937"   "4833469"   "5148175"   "5181038"   "5313213"   "5446470"   "5467072"   "5512901"   "5517196"   "5598171"   "5682136"   "5686921"   "5745027"   "5751240"   "5767793"   "5857767"   "5963172").PN.	USPAT
65	BRS	3	5963172.URPN.	USPAT
66	BRS	24	("2751587"   "2841782"   "3683379"   "3794997"   "3878506"   "3934252"   "4125835"   "4673937"   "4833469"   "5148175"   "5181038"   "5313213"   "5446470"   "5467072"   "5512901"   "5517196"   "5598171"   "5682136"   "5686921"   "5745027"   "5751240"   "5767793"   "5857767"   "5963172").PN.	USPAT
67	BRS	24	("2751587"   "2841782"   "3683379"   "3794997"   "3878506"   "3934252"   "4125835"   "4673937"   "4833469"   "5148175"   "5181038"   "5313213"   "5446470"   "5467072"   "5512901"   "5517196"   "5598171"   "5682136"   "5686921"   "5745027"   "5751240"   "5767793"   "5857767"   "5963172").PN.	USPAT
68	BRS	89886	light adj emitting adj diode\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	116609	printed adj circuit adj board	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	1	(printed adj circuit adj board) same ( foil adj reflect\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	5888	(light adj emitting adj diode\$4) and (printed adj circuit adj board)	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	22	((light adj emitting adj diode\$4) and (printed adj circuit adj board)) and (reflect\$6 adj face)	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	(printed adj circuit adj board) with ( foil adj reflect\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	4	(printed adj circuit adj board) with ( reflect\$6 adj face)	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	4	(printed adj circuit adj board) with (metal adj reflect\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	245	((light adj emitting adj diode\$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))	USPAT; EPO; JP ; DERWENT; IBM_TDB
77	BRS	122	((((light adj emitting adj diode\$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))) and (metal or foil)	USPAT; EPO; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
78	BRS	77	(((((light adj emitting adj diode\$4) and (printed adj circuit adj board)) and (reflecting adj (face or surface))) and (metal or foil)) and plastic	USPAT; EP ; JP ; DERWENT; IBM_TDB
79	BRS	2237	multi near5 (printed adj circuit adj board)	USPAT; EP ; JP ; DERWENT; IBM_TDB
80	BRS	327747	(light adj emitting adj diode\$4) or LED	USPAT; EP ; JPO; DERWENT; IBM_TDB
81	BRS	7	((((multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode\$4) or LED)) and (return or (ground adj plane))) and reflect\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	48	((multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode\$4) or LED)) and (return or (ground adj plane))	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	137	(multi near5 (printed adj circuit adj board)) AND ((light adj emitting adj diode\$4) or LED)	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	2	("6124886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	IS&R	2	("6172613").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	IS&R	2	("6124886").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	IS&R	4	((("6400308") or ("6124886")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	133	362/800.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	43	362/545.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	5	340/469.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	15	340/457.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	125	340/425.5.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	48	340/815.4.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	14	362/507.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	24	362/464.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	15	362/540.ccls. and @pd > "20020801"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	419	362/545,540,464,800,507.ccls. and @pd >20030220	USPAT; US-PGPUB; EP ; JP ; DERWENT; IBM_TDB
98	BRS	134	(362/545,540,464,800,507.ccls. and @pd >20030220) and @ad < "20010928"	USPAT; US-P PUB; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
99	BRS	279	340/815.4,425.5,457,469.ccls. and @pd >20030220	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB
100	BRS	95	(340/815.4,425.5,457,469.ccls. and @pd >20030220) and @ad < "20010928"	USPAT; US-P PUB; EP ; JP ; DERWENT; IBM_TDB